

COMPOSITE CRITERIA FORM - FINISH

RATING/SCORE			SURFACE QUALITY	MARGIN INTEGRITY	CONTOURS AND FUNCTION	TISSUE TREATMENT
P A S S	HIGHLY SATISFACTORY (ideal or minor errors)	5	Uniform smoothness of entire surface of restoration. No pits on the surface.	Margin continuous with contours of natural tooth. No white lines at margin.	All tooth contours appropriately restored. Appropriate contact with adjacent and opposing contacts. Morphological features are appropriate. No contamination in material. Restorative material completely cured.	No unnecessary trauma to soft and/or hard tissues.
	SATISFACTORY (slight errors)	4	Restoration exhibits slight roughness. Slight pits and/or scratches on the surface.	Slight detectable catches at the margins of the restoration but margins are closed. No pits on the margins. Slight white line at margin.	Slight under or over contour. Slightly weak contact. Morphological features slightly deficient or excessive. Slight contamination in material. Restorative material completely cured.	Slight lack of care of soft and/or hard tissues.
	MINIMALLY SATISFACTORY (moderate errors)	3	Restoration exhibits moderate roughness. Moderate pits and/or scratches on the surface.	Moderate catches at margin of restoration but margins are closed. No pits on the margins. Moderate white line at margin.	Moderate under or over contour. Moderately weak contact. Morphological features moderately deficient or excessive. Possible moderate contamination in material. Restorative material completely cured.	Moderate lack of care of soft and/or hard tissues.
F A I L	UNSATISFACTORY (major errors)	2	Major surface roughness. Major pits and/or scratches on the surface. Major detectable catches in surface.	Major open margin discrepancy. Major excessive material over the margin. Pits on the margins. Major white line at margin.	Major under or over contour. Major lack of contact. Morphological features majorly deficient or excessive. Major traumatic occlusion. Obvious major contamination in the restorative material. Major inadequate cure of the restorative material.	Major lack of care of soft and/or hard tissues.
	VERY UNSATISFACTORY (critical errors)	1	Critical surface roughness. Major pits and/or scratches on the surface. Critical detectable catches in surface.	Critical open margin discrepancy. Critical excessive material over margin. Critical white line at margin.	Critical under or over contour. Critical lack of contact. Morphological features critically deficient or excessive. Critical traumatic occlusion. Critically contaminated. Critical inadequate cure of restorative material.	Critical lack of care of soft and/or hard tissues.
	GROSSLY UNSATISFACTORY (gross errors)	0	Grossly irregular surface. Gross voids, pits and/or scrapes on the surface. Loss of all or part of the restoration.	Gross open margin discrepancy to the DEJ. Gross excessive material over margin. Gross white line at margin.	Restoration fractured or displaced. Gross lack of contact. Morphological features grossly deficient or excessive. Gross lack of concept of form and/or function. Requires replacement. Gross inadequate cure of the restorative material.	Gross mutilation of soft and/or hard tissues.